



U.S. Department  
of Transportation

**Federal Aviation  
Administration**

# Advisory Circular

**Subject: INSTRUCTIONS FOR COMPLETION OF FAA  
FORM 337 (OMB NO.2120-0020), MAJOR  
REPAIR AND ALTERATION (AIRFRAME,  
POWERPLANT, PROPELLER, OR APPLIANCE)**

**Date: 5/21/87**

**Initiated by:  
AFS-340**

**AC No:  
43.9-1E**

**Change:**

AC No: 43.9-1E

Date: 5/21/87

Change:

Initiated  
by: AFS-340

Subject: INSTRUCTIONS FOR COMPLETION OF FAA FORM 337 (OMB NO.  
2120-0020), MAJOR REPAIR AND ALTERATION (AIRFRAME,  
POWERPLANT, PROPELLER, OR APPLIANCE)

1. PURPOSE. This advisory circular (AC) provides instructions for completing Federal Aviation Administration (FAA) Form 337, Major Repair and Alteration (Airframe, Powerplant, Propeller, or Appliance).

2. CANCELLATION. AC 43.9-1D, Instructions for Completion of FAA Form 337 (OMB 04-R0060), Major Repair and Alteration (Airframe, Powerplant, Propeller, or Appliance), dated 9/5/79, is canceled.

3. RELATED FEDERAL AVIATION REGULATIONS (FAR) SECTIONS. FAR Part 43, Sections 43.5, 43.7, 43.9, and Appendix B.

4. INFORMATION. FAA Form 337 is furnished free of charge and is available at all FAA Air Carrier (ACDO), General Aviation (GADO), Manufacturing Inspection (MIDO), and Flight Standards (FSDO) district offices, and at all International Field Offices (IFO). The form serves two main purposes; one is to provide aircraft owners and operators with a record of major repairs or alterations indicating details and approval, and the other is to provide the FAA with a copy of the form for inclusion in the aircraft records at the FAA Aircraft Registration Branch, Oklahoma City, Oklahoma.

5. INSTRUCTIONS FOR COMPLETING FAA FORM 337. The person who performs or supervises a major repair or major alteration should prepare FAA Form 337. The form is executed at least in duplicate and is used to record major repairs and major alterations made to an aircraft, an airframe, powerplant, propeller, appliance, or spare part. The following instructions apply to corresponding items 1 through 8 of the form as illustrated in Appendix 1.

a. Item 1 - Aircraft. Information to complete the "Make," "Model," and "Serial Number" blocks will be found on the aircraft

manufacturer's identification plate. The "Nationality and Registration Mark" is the same as shown on AC Form 8050-3, Certificate of Aircraft Registration.

b. Item 2 - Owner. Enter the aircraft owner's complete name and address as shown on AC Form 8050-3.

Note: When a major repair or alteration is made to a spare part or appliance, items 1 and 2 will be left blank, and the original and duplicate copy of the form will remain with the part until such time as it is installed on an aircraft. The person installing the part will then enter the required information in blocks 1 and 2, give the original of the form to the aircraft owner/operator, and forward the duplicate copy to the local FAA district office within 48 hours after the work is inspected.

c. Item 3 - For FAA Use Only. Approval may be indicated in Item 3 when the FAA determines that data to be used in performing a major alteration or a major repair complies with accepted industry practices and all applicable FAR. Approval is indicated in one of the following methods. (See paragraph 6b for further details.)

(1) Approval by examination of data only - one aircraft only: "The data identified herein complies with the applicable airworthiness requirements and is approved for the above described aircraft, subject to conformity inspection by a person authorized in FAR Part 43, Section 43.7."

(2) Approval by physical inspection, demonstration, testing, etc., of the data and aircraft - one aircraft only: "The alteration (or repair) identified herein complies with the applicable airworthiness requirements and is approved for the above described aircraft, subject to conformity inspection by a person authorized in FAR Part 43, Section 43.7."

(3) Approval by examination of data only - duplication on identical aircraft. "The alteration identified herein complies with the applicable airworthiness requirements and is approved for duplication on identical aircraft make, model, and altered configuration by the original modifier."

d. Item 4 - Unit Identification. The information blocks under item 4 are used to identify the airframe, powerplant, propeller, or appliance repaired or altered. It is only necessary to complete the blocks for the unit repaired or altered.

e. Item 5 - Type. Enter a checkmark in the appropriate column to indicate if the unit was repaired or altered.

f. Item 6 - Conformity Statement.

(1) "A" - Agency's Name and Address. Enter name of the mechanic, repair station, or manufacturer accomplishing the repair or alteration. Mechanics should enter their name and permanent mailing address. Manufacturers and repair stations should enter the name and address under which they do business.

(2) "B" - Kind of Agency. Check the appropriate box to indicate the type of person or organization who performed the work.

(3) "C" - Certificate Number. Mechanics should enter their mechanic certificate number in this block, e.g., 1305888.

---

Repair stations should enter their air agency certificate number and the rating or ratings under which the work was performed, e.g., 1234, Airframe Class 3. Manufacturers should enter their type production or Supplemental Type Certificate (STC) number. Manufacturers of Technical Standard Orders (TSO) appliances altering these appliances should enter the TSO number of the appliance altered.

(4) "D" - Compliance Statement: This space is used to certify that the repair or alteration was made in accordance with the FAR. When work was performed or supervised by certificated mechanics not employed by a manufacturer or repair station, they should enter the date the repair or alteration was completed and sign their full name. Repair stations are permitted to authorize persons in their employ to date and sign this conformity statement.

g. Item 7 - Approval for Return to Service. FAR Part 43 establishes the conditions under which major repairs or alterations to airframes, powerplants, propellers, and/or appliances may be approved for return to service. This portion of the form is used to indicate approval or rejection of the repair or alteration of the unit involved and to identify the person or agency making the airworthiness inspection. Check the "approved" or "rejected" box to indicate the finding. Additionally, check the appropriate box to indicate who made the finding. Use the box labeled "other" to indicate a finding by a person other than those listed. Enter the date the finding was made. The authorized person who made the finding should sign the form and enter the appropriate certificate or designation number.

h. Item 8 - Description of Work Accomplished. A clear, concise, and legible statement describing the work accomplished should be entered in item 8 on the reverse side of FAA Form 337. It is important that the location of the repair or alteration, relative to the aircraft or component, be described. The approved data used as the basis for approving the major repair or alteration for return to service should be identified and described in this area.

(1) For example, if a repair was made to a buckled spar, the description entered in this part might begin by stating, "Removed wing from aircraft and removed skin from outer 6 feet. Repaired buckled spar 49 inches from tip in accordance with . . . ." and continue with a description of the repair. The description should refer to applicable FAR sections and to the FAA-approved data used to substantiate the airworthiness of the repair or alteration. If the repair or alteration is subject to being covered by skin or other structure, a statement should be made certifying that a precover inspection was made and that covered areas were found satisfactory.

(2) Data used as a basis for approving major repairs or alterations for return to service must be FAA-approved prior to its use for that purpose and includes: FAR (e.g., airworthiness directives), AC's (e.g., AC 43.13-1A under certain circumstances), TSO's parts manufacturing approval (PMA), FAA-approved manufacturer's instructions, kits and service handbooks, type certificate data sheets, and aircraft specifications. Other forms of approved data would be those approved by a designated engineering representative (DER), a manufacturer holding a delegation option authorization (DOA), STC's, and, with certain limitations, previous FAA field approvals. Supporting data such as stress analyses, test report, sketches, or photographs should be submitted with the FAA Form 337. These supporting data will be returned to the applicant by the local FAA district office since only FAA Form 337 is retained as a part of the aircraft

---

records at Oklahoma City.

(3) If additional space is needed to describe the repair or alteration, attach sheets bearing the aircraft nationality and registration mark and the date work was completed.

(4) Showing weight and balance computations under this item is not required; however, it may be done. In all cases where weight and balance of the aircraft are affected, the changes should be entered in the aircraft weight and balance records with the date, signature, and reference to the work performed on the FAA Form 337 that required the changes.

6. ADMINISTRATIVE PROCESSING. At least an original and one duplicate copy of the FAA Form 337 will be executed. FAA district office processing of the forms and their supporting data will depend upon whether previously approved or non-previously approved data was used as follows:

a. Previously Approved Data. The forms will be completed as instructed in this AC ensuring that item 7, "Approval for Return to Service," has been properly executed. Give the original of the form to the aircraft owner or operator, and send the duplicate copy to the local FAA district office within 48 hours after the work is inspected.

b. Non-previously Approved Date. The forms will be completed as instructed in this AC, leaving item 7, "Approval for Return to Service," blank. Both copies of the form, with supporting data, will be sent to the local FAA district office. When the FAA determines that the major repair or alteration data complies with applicable regulations and is in conformity with accepted industry practices, data approval will be recorded by entering an appropriate statement in item 3, "For FAA Use Only." Both forms and supporting data will be returned to the applicant who will complete item 7, "Approval for Return to Service." The applicant will give the original of the form, with its supporting data, to the aircraft owner or operator and return the duplicate copy to the local FAA district office who will, in turn, forward it to the FAA Aircraft Registration Branch, Oklahoma City, Oklahoma, for inclusion in the aircraft records.

c. Signatures on FAA Form 337 have limited purposes:

(1) A signature in item 3, "For FAA Use Only," indicates approval of the data described in that section for use in accomplishing the work described under item 8 on the reverse of FAA Form 337.

(2) A signature in item 6, "Conformity Statement," is a certification by the person performing the work that it was accomplished in accordance with applicable FAR and FAA-approved data. The certification is only applicable to that work described under item 8 on the reverse of FAA Form 337.

Note: Neither of these signatures (subparagraph c(1) and c(2)) indicate FAA approval of the work described under item 8 for return to service.

(3) A signature in item 7, "Approval for Return to Service," does not signify FAA approval unless the box to the left of "FAA Flight Standards Inspector" or "FAA Designee" is checked. The other persons listed in item 7, are authorized to "approve for return to service" if the repair or alteration is accomplished using FAA-approved data, is performed in accordance with applicable FAR, and found to conform.

---

d. FAA Form 337 is not authorized for use on other than U.S.-registered aircraft. If a foreign civil air authority requests the form, as a record of work performed, it may be provided. The form should be executed in accordance with the FAR and this AC. The foreign authority should be notified on the form that it is not an official record and that it will not be recorded by the FAA Aircraft Registration Branch, Oklahoma City, Oklahoma.

e. FAR Part 43, Appendix B, Paragraph (b) authorizes FAA certificated repair stations to use a work order, in lieu of FAA Form 337, for only major repairs. Such work orders should contain all the information provided on the form and in no less detail; that is, the data used as a basis of approval should be identified, a certification that the work was accomplished using that data and in accordance with the FAR, a description of the work performed (as required in item 8 of the FAA Form 337), and approval for return to service must be indicated by an authorized person. Signature, kind of certificate, and certificate number must also appear in the record (reference FAR Section 43.9).

/s/ William T. Brennan  
Acting Director of Flight Standards

APPENDIX 1. FAA FORM 337 (FRONT), MAJOR REPAIR AND ALTERATION (AIRFRAME, POWERPLANT, PROPELLER, OR APPLIANCE)

-----  
Form Approved  
OMB No. 2120-0020

MAJOR REPAIR AND ALTERATION  
US Department (Airframe, Powerplant, Propeller or of Transportation Appliance)

For FAA Use Only

Federal Aviation Administration Office Identification

INSTRUCTIONS: Print or type all entries. See FAR 43.9, FAR 43 Appendix B, and AC 43.9-1 (or subsequent revision thereof) for instructions and disposition of this form. This report is required by law (49 U.S.C. 1421). Failure to report can result in a civil penalty not to exceed \$1,000 for each such violation (Section 901 Federal Aviation Act of 1958).

1. Aircraft	Make Cessna Serial No. 15-10521	Model 182 Nationality and Registration Mark N-3763
2. Owner	Name (As shown on registration certificate)  William Taylor	Address (As shown on registration certificate)  36 Main Street Cambria, Pennsylvania 15946

3. For FAA Use Only

The data identified herein complies with the applicable

---

airworthiness requirements and is approved for the above described aircraft, subject to conformity inspection by a person authorized by FAR Part 43, Section 43.7.

AEA-GADO-19                      April 5, 1986                      /s/ Ralph Burlingame  
District Office                      Date                      Signature of FAA Inspector

4. Unit Identification                      5. Type

Unit	Make	Model	Serial No.	Repair Alteration
AIRFRAME	(As described in Item 1 above)			X
POWERPLANT				
PROPELLER				
APPLIANCE	Type			
	Manufacturer			

6. Conformity Statement

A. Agency's Name and Address	B. Kind of Agency	C. Certificate No.
George Morris High Street Johnstown, Pennsylvania 15236	X US Certificated Mechanic - Foreign Certificated Mechanic - Certificated Repair Station - Manufacturer	1305888

D. Identify that the repair and/or alteration made to the unit(s) identified in item 4 above and described on the reverse or attachments hereto have been made in accordance with the requirements of Part 43 of the U.S. Federal Aviation Regulations and that the information furnished herein is true and correct to the best of my knowledge.

Date                      Signature of Authorized Individual  
March 19, 1987                      /s/ George Morris

7. Approval for Return To Service

Pursuant to the authority given persons specified below, the unit identified in item 4 was inspected in the manner prescribed by the Administration of the Federal Aviation Administration and is  
X APPROVED    REJECTED

- FAA Flt. Standards Inspector    - Manufacturer X    Inspection Authorization (Specify)    - Other

BY

- FAA Designee                      - Repair Station                      - Person Approved by Transport Canada Airworthiness Group

Date of Approval or Rejection	Certificate or Designation No.	Signature of Authorized Individual
April 9, 1987	237412	/s/ Donald Pauley

-----

-----  
FAA FORM 337 (BACK), MAJOR REPAIR AND ALTERATION  
(AIRFRAME, POWERPLANT, PROPELLER, OR APPLIANCE)

NOTICE

Weight and balance or operating limitation changes shall be entered in the appropriate aircraft record. An alteration must be compatible with all previous alterations to assure continued conformity with the applicable airworthiness requirements.

8. Description of Work Accomplished

(if more space is required, attach additional sheets.

Identify with aircraft nationality and registration mark and date work completed.)

1. Removed right wing from aircraft and removed skin from outer 6 feet. Repaired buckled spar 49 inches from tip in accordance with attached photographs and figure 1 of drawing dated March 6, 1987.

DATE: March 15, 1987, inspected splice in Item 1 and found it to be in accordance with data indicated. Splice is okay to cover. Inspected internal and external wing assembly for hidden damage and condition.

/s/ Donald Pauley  
A&P 237412 IA

2. Primed interior wing structure and replaced skin P/Ns 63-0085, 63-0086, and 63-00878 with same material, 2024-T3, .025 inches thick. Rivet size and spacing all the same as original and using procedures in Chapter 2, Section 3, of AC 43.13-1A, dated 1972.
3. Replaced stringers as required and installed 6 splices as per attached drawing and photographs.
4. Installed wing, rigged aileron, and operationally checked in accordance with manufacturer's maintenance manual.
5. No change in weight or balance.

-----  
END

- Additional Sheets are Attached



US Department  
of Transportation  
Federal Aviation  
Administration

## MAJOR REPAIR AND ALTERATION (Airframe, Powerplant, Propeller, or Appliance)

Form Approved  
OMB No. 2120-0020

**For FAA Use Only**

Office Identification

INSTRUCTIONS: Print or type all entries. See FAR 43.9, FAR 43 Appendix B, and AC 43.9-1 (or subsequent revision thereof) for instructions and disposition of this form. This report is required by law (49 U.S.C. 1421). Failure to report can result in civil penalty not to exceed \$1,000 for each such violation (Section 901 Federal Aviation Act of 1958).

<b>1. Aircraft</b>	Make	Model
	Serial No.	Nationality and Registration Mark
<b>2. Owner</b>	Name <i>(As shown on registration certificate)</i>	Address <i>(As shown on registration certificate)</i>

### 3. For FAA Use Only

### 4. Unit Identification

### 5. Type

Unit	Make	Model	Serial No.	Repair	Alteration
AIRFRAME	_____ <i>(As described in Item 1 above)</i> _____				
POWERPLANT					
PROPELLER					
APPLIANCE	Type				
	Manufacturer				

### 6. Conformity Statement

A. Agency's Name and Address	B. Kind of Agency	C. Certificate No.
	<input type="checkbox"/> U.S. Certificated Mechanic <input type="checkbox"/> Foreign Certificated Mechanic <input type="checkbox"/> Certificated Repair Station <input type="checkbox"/> Manufacturer	

D. I certify that the repair and/or alteration made to the unit(s) identified in item 4 above and described on the reverse or attachments hereto have been made in accordance with the requirements of Part 43 of the U.S. Federal Aviation Regulations and that the information furnished herein is true and correct to the best of my knowledge.

Date	Signature of Authorized Individual
------	------------------------------------

### 7. Approval for Return To Service

Pursuant to the authority given persons specified below, the unit identified in item 4 was inspected in the manner prescribed by the Administrator of the Federal Aviation Administration and is APPROVED REJECTED

BY	FAA Flt. Standards Inspector	Manufacturer	Inspection Authorization	Other <i>(Specify)</i>
	FAA Designee	Repair Station	Person Approved by Transport Canada Airworthiness Group	
Date of Approval or Rejection		Certificate or Designation No.	Signature of Authorized Individual	



**NOTICE**

*Weight and balance or operating limitation changes shall be entered in the appropriate aircraft record. An alteration must be compatible with all previous alterations to assure continued conformity with the applicable airworthiness requirements.*

**8. Description of Work Accomplished**

*(If more space is required, attach additional sheets. Identify with aircraft nationality and registration mark and date work completed.)*

Additional Sheets Are Attached

**Agency Display Of Estimated Burden**

The public reporting burden for this collection of information is estimated to average 30 minutes per response.

If you wish to comment on the accuracy of the estimate or make suggestions for reducing this burden, please direct your comments to OMB and the FAA at the following addresses:

**Office of Management and Budget**  
Paperwork Reduction Project (2120-0020)  
Washington, D.C. 20503

-- and--

**U.S. Department of Transportation**  
Federal Aviation Administration  
General Aviation and Commercial Branch, AFS-340  
800 Independence Avenue, S.W.  
Washington, D.C. 205091